Comparative table

	Hormonal (progesterone)	Copper
Models and duration	Mirena (52mg) - 5-8 years * Kyleena (19,5mg) - 5 years	Mona Lisa mini/standard/10, Liberté, etc up to 12 years
Bleeding	 Irregular bleeding with frequent spotting possible for the first 3-6 months Then, irregular, light bleeding, with reduction of menstrual flow of 80-90% After 1 year, approximately ¼ no longer bleed with Mirena and 1/6 with Kyleena 	Usually, cycles unchanged except for an increase in duration, flow and menstrual pain
Side effects	 Minimal, because the effect is mainly localized to the endometrium (unlike systemic anovulants, pills, patches or rings) Rare and usually temporary: acne, swelling, mood disorders and reduced libido 	- Increased menstrual duration, flow and pain
Effectiveness	Less than 2 pregnancies out of 1000 users per year	Less than 8 pregnancies out of 1000 users per year
	In the rare situation that you become pregnant with an IUD, it is important to seek medical attention to have it removed and to ensure that you do not have an ectopic pregnancy (outside the uterus).	
Non-contraceptive benefits	 Reduction of menstrual pain Possible cessation of menstruation Possible improvement in PMS Possible reduction in the risk of endometrial cancer No increase in migraines (because no estrogen) 	- No positive or negative hormonal effects